

DISTRICT OF COLUMBIA WATER AND SEWER AUTHORITY  
BACKFLOW PREVENTION DEVICES

Reduced Pressure Principle Devices – Bronze Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Badger	N1 One	¾, 1, 1-1/4, 1-1/2, 2
Cla-Val	RP-1	2
	RP-2	¾, 1, 1-1/4, 1-1/2
	RP-4	2
	A	1, 1-1/2, 2, 2-1/2, 3, 4, 6
Craneline	40-201	¼
	40-202	3/8
	40-203	½
	40-204	¾
	40-205	1
	40-206	1 ¼
	40-207	1 ½
	40-208	2
Febco	825Y	¾, 1, 1-1/4, 1-1/2, 2
	835B	¾, 1, 1-1/2, 2
	860	½, ¾, 1, 1-1/2, 2
Hersey/Besco	6C	1, 1-1/2, 2, 2-1/2, 3, 4, 6
	FRP	¾, 1, 1-1/2, 2
	12	¾
	6CM	2-1/2, 3, 4, 6
Orion (formerly Toro)	80-0059	¾
	80-69	1-1/2
	9-2929	2
	BRP	¾, 1, 4
Rainbird	RP-075	2
	RP-100	1
	RP-125	1-1/4
	RP-150	1-1/2
	RP-200	2
	RPA-075	¾
	RPA-100	1
	RPA-125	1-1/4
	RPA-150	1-1/2
	RPA-200	2
Rockwell	701	1-1/2, 2, 2-1/2, 3
Watts	009PCQT	½
	009QT	3/8, ¼, ¾, ½, 1, 1-1/4, 1-1/2, 2

009M1QT	1-1/4, 1-1/2, 2
009M2QT	3/4
U009QT	1/2, 3/4, 1, 1-1/4, 1-1/2, 2
U009PCQT	1/2, 3/4, 1, 1-1/4, 1-1/2, 2
U009APCQT	3/4, 1
U009AQT	3/4, 1
U009M1APCQT	1-1/2, 2
U009M1AQT	1-1/2, 2
U009M1PCQT	1-1/4, 1-1/2, 2
U009M1QT	1-1/4, 1-1/2, 2
U009M2APCQT	1-1/2
U009M2AQT	1-1/2
U009M2PCQT	1-1/2

Reduced Pressure Principle Devices – Epoxy Coated Iron Body (continued)

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Watts (continued)	RPA-800	8
	RPA-1000	10
Wilkins	575	2-1/2, 3, 4, 6
	575-M8	8
	575-M10	10
	975	2-1/2, 3, 4, 6, 8, 10
(w/integral relief valve monitor switch)	975MS	2-1/2, 3, 4, 6
	Conbraco	
	40-209	2-1/2
	40-200	3
	40-20A	4
	40-20C	6
	4020E02	8
	4020G02	10
	4020G03	10
Flomatic	RPZ	3/4, 1, 1-1/2, 2, 2-1/2, 3

Reduced Pressure Principle Devices – Galvanized Iron Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Hersey/Beeco	6CM	2-1/2, 3, 4, 6, 8, 10
Mueller	H-9506	4, 6, 8

Reduced Pressure Principle Devices – Stainless Steel Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Ames	2000B	½, ¾, 1, 1-1/4, 1-1/4, 1-1/2, 2
	4000SS	2-1/2, 3, 4, 6

Reduced Pressure Principle Detector Check Valve Assemblies – Epoxy Coated Iron Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Ames	5000 RPDA	4, 6, 8, 10
Febco	826YD	2-1/2, 3, 4, 6, 8, 10
	826D	2-1/2, 3, 4
Watts	009NRS RPDA	4, 6
	009OSY RPDA	4, 6
	909 RPDA	2-1/2, 3, 4, 6, 8, 10
	990RPDANRSRW	8
	990RPDAOSYRW	8
	990RPDANRSRW	4, 10
Conbraco	990RPDAOSYRW	10
	4070C02	6
	4070C03	6
	4070E03	8
Wilkins	4070G03	10
	975DA	2-1/2, 3, 4, 6

---

Double Check Valve Assemblies – Bronze Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Cla-Val	D-2	¾, 1, 1-1/4, 1-1/2
	D	2
Conbraco	4010302	½
	40-104	¾
	40-105	1
	40-106	1 ½

Double Valve Assemblies – Epoxy Coated Iron Body (continued)

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Conbraco	40-109	2-1/2
	40-10A	4
	40-10C	6
	40-10E02	8
	40-10G02	10

	40-10G03	10
Flomatic	DCV	¾, 1, 1-1/2, 2, 2-1/2, 3

Double Check Valve Assemblies – Galvanized Iron Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Ames	2000DC	10
	2000DCA	4, 6, 8
Hersey/Beeco	No. 2	3, 4, 6, 8, 10
Mueller	H-9505	4, 6
Viking	A-1	4, 6, 8, 10

Double Check Valve Assemblies – Stainless Steel Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Ames	2000B (vertical)	½, ¾, 1, 1-1/4, 1-1/2, 2
	2000SS	¾, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 6, 8
*	2000SS (vertical)	2-1/2, 3, 4, 6, 8, 10, 12
	2000SE	2-1/2, 6, 8
	2000SS	2-1/2, 3, 4, 6, 8, 10, 12
*	2000SS (vertical)	2-1/2, 3, 4, 6, 8, 10, 12
Watts	774	4, 6, 8, 10, 12
	774X	6, 8
	775	3, 4, 6, 8
*	775 (vertical)	3, 4, 6, 8
	N775	3, 4, 6, 8
*	N775 (vertical)	3, 4, 6, 8

Double Check Detector Check Valve Assemblies – Galvanized Iron Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Ames	3000DCDC	10
	3000DCDA	4, 6, 8
Hersey	DDC II	3, 4, 6, 8, 10

Double Check Detector Check Valve Assemblies – Epoxy Coated Iron Body

<u>Company</u>	<u>Model</u>	<u>Size (inches)</u>
Ames	3000DCDA	4, 6, 8
	3000DCDC	10
Cla-Val	16	4, 6, 8, 10
Febco	806	4, 6, 8, 10
	806YD	3, 4, 6, 8, 10

	856	2-1/2, 3, 4, 6, 8
*	856 (vertical)	4, 6
	876	2-1/2, 3, 4, 6, 8
	876V(N & Z shape)	2-1/2, 3, 4, 6, 8
Watts	007DCDA	2-1/2, 3
	007NRSDCDA	4, 6
	007OSYDCDA	4, 6
	709DCDA	3, 4, 6, 8, 10
*	709DCDA	
	(vertical)	4, 6, 8, 10